

## Cs/10

Spectroscopic lamps



### Areas of application

- Optics, photophysics, spectroscopy
- Chemical engineering and medicine



## Product datasheet

### Technical data

#### Product information

Order reference	CS/10 1A PICO
-----------------	---------------

#### Electrical data

Lamp voltage	10 V
Nominal current	1.00 A
Type of current	AC
Nominal wattage	10.00 W

#### Dimensions & weight



Filament length	3.00 mm
Filament diameter	6.0 mm

#### Temperatures & operating conditions

Max. permitted ambient temp. pinch point	350 °C
--	--------

#### Additional product data

Design / version	Caesium
Base (standard designation)	PICO9

#### Country specific categorizations

Order reference	CS/10 1A PICO
-----------------	---------------

#### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-02-2022

## Product datasheet

<b>Primary Article Identifier</b>	4050300213842
<b>Candidate List Substance 1</b>	Lead
<b>CAS No. of substance 1</b>	7439-92-1
<b>Safe Use Instruction</b>	The identification of the Candidate List substance is sufficient to allow safe use of the article.
<b>Declaration No. in SCIP database</b>	767726B7-CDCB-49EB-BC86-08638C1AD9E4

---

### Country specific information

<b>Product code</b>	<b>METEL code</b>	<b>SEG-No.</b>	<b>STK-Number</b>	<b>UK Org</b>
4050300213842	OSRSPCS10	-	-	-
4050300750576	OSRSPCS10	-	-	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300213842	Cs/10	Shipping carton box 1	167 mm x 64 mm x 66 mm	0.71 dm <sup>3</sup>	99.75 g
4050300750576	Cs/10	Shipping carton box 10	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.