

64611 HLX

Low-voltage halogen lamps without reflector



Areas of application

- Lamps for special luminaires
- Medical fiber optics (HLX)

Product family benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)

Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)





Product datasheet

Technical data

Product information

Order reference	64611 HLX
-----------------	-----------


Electrical data

Nominal voltage	120 V	
Nominal wattage	5000 W	

Photometrical data

Color temperature	3250 K
Nominal luminous flux	1350 lm
Color rendering index Ra	100

Dimensions & weight



Diameter	115 mm
Length	440 mm
Light center length (LCL)	30.0 mm
Filament length	3.30 mm
Illuminated field	3.3*1.6 mm ²
Filament diameter	1.6 mm

Lifespan

Lifes	pan	100 h

Additional product data

Base (standard designation)	G6.35
Minimum diameter of lamp enclosure	12 mm

Product datasheet

Capabilities

Burning position	s90
------------------	-----

Country specific categorizations

Order reference	64611 HLX
-----------------	-----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 29-02-2024				
Primary Article Identifier 4008321107091				
Candidate List Substance 1 No declarable substances contained				
Declaration No. in SCIP database No declarable substances contained				

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321107091	OSRH64611HLX	-	-	-
4008321107091	OSRH64611HLX	-	-	-

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321107091	64611 HLX	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	4.00 g
4008321107107	64611 HLX	Shipping carton box 40	150 mm x 113 mm x 118 mm	2.00 dm ³	361.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.