


# 64502 150 W 240 V

Halogen lamps, medium/high voltage, single-ended


Areas of application

- Professional film and TV work



### Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



April 26, 2024, 18:45:58 64502 150 W 240 V

## Technical data

## **Product information**


#### **Electrical data**

Nominal wattage	15000 W	
Nominal voltage	240 V	
On-mode power	155.00 W	
Energy consumption in on-mode	155.0 kWh/1000h	

## Photometrical data

Color temperature	3200 К
Color rendering index Ra	100
$\Phi \mbox{use}$ value refers to luminous flux	360
Correlated color temperature CCT	3208 К
Useful luminous flux (Фиse)	3760 lm
Chromaticity coordinate x	0.423
Chromaticity coordinate y	0.400

## Dimensions & weight



Diameter	1800 mm
Length	550 mm
Illuminated field	13.0*1.9 mm <sup>2</sup>

### Lifespan

Lifespan 50 h

## Additional product data

	ow 75				
Base (standard designation)	GX6.35				
Lighting technology used	HL				
Capabilities					
Burning position	Any				
Certificates & standards					
Energy efficiency class	G				
Country specific categorizations ANSI code	Other				
Order reference	64502 150W 240V				
Logistical data					
EAN 10 of contained light source	4052899363236	-			
Environmental information					
Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					

25-04-2024

In work

4052899080775 | 4052899363236

No declarable substances contained

Date of Declaration

Primary Article Identifier Candidate List Substance 1

Declaration No. in SCIP database

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899080775	64502 150 W 240 V	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm³	14.00 g
4052899080782	64502 150 W 240 V	Shipping carton box 20	205 mm x 142 mm x 76 mm	2.21 dm³	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.