

64686 650 W 240 V

Halogen lamps, medium/high voltage, single-ended



Areas of application

- Professional film and TV work

Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V

- Color temperature: 2,900 K | 3,000 K (with longer lifespan)

- Color temperature: 3,200 K (for professional film and TV work)

- Color temperature: 3,400 K (for maximum luminous efficacy)





Product datasheet

Technical data

Product information

Order reference	64686 650W 240V
-----------------	-----------------


Electrical data

Nominal wattage	65000 W
Nominal voltage	240 V

Photometrical data

Color temperature	3200 K

Dimensions & weight



Diameter	2100 mm
Length	640 mm

Additional product data

Base (standard designation)	GY9.5
-----------------------------	-------

Capabilities

Burning position	Other
builing position	Other

Country specific categorizations

ANSI code	Other
Order reference	64686 650W 240V

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Product datasheet

Date of Declaration	06-03-2024	
Primary Article Identifier	4008321098511	
Declaration No. in SCIP database	In work	

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321098511	64686 650 W 240 V	Folding carton box 1	- x - x -		
4008321098528	64686 650 W 240 V	Shipping carton box 12	180 mm x 127 mm x 140 mm	3.20 dm ³	393.67 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.