

HBO 4300 W/NHL

HBO-IC Microlithography lamps for Nikon LCD systems | Microlithography lamps for Nikon LCD systems




Technical data

Electrical data

| | |
|-----------------|-----------|
| Nominal voltage | 54.0 V |
| Nominal current | 80.00 A |
| Type of current | DC |
| Rated wattage | 4300.00 W |
| Nominal wattage | 4300.00 W |

Dimensions & weight



| | |
|--------------------|----------|
| Diameter | 80.0 mm |
| Length | 387.0 mm |
| Electrode gap cold | 5.0 mm |

Capabilities

| | |
|------------------|-------|
| Burning position | Other |
|------------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|--|
| Date of Declaration | 06-03-2024 |
| Primary Article Identifier | 4008321281159 4008321857002 |
| Candidate List Substance 1 | Lead |
| CAS No. of substance 1 | 7439-92-1 |
| Safe Use Instruction | The identification of the Candidate List substance is sufficient to allow safe use of the article. |
| Declaration No. in SCIP database | 3c9b190e-a63d-444d-9cbd-1938f259e251 281edb64-c176-4cdf-8b5c-184d74ec6173 |

Product datasheet

Safety advice

Because of their high luminance, UV radiation and high internal pressure (when hot) HBO lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. More information is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|---|------------------------|--------------|
| 4008321857002 | HBO 4300 W/NHL | Folding carton box 1 | 605 mm x 320 mm x 230 mm | 44.53 dm ³ | 3001.00 g |
| 4008321857019 | HBO 4300 W/NHL | Shipping carton box 4 | 800 mm x 600 mm x 825 mm | 396.00 dm ³ | 20184.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.