

## ULTRA LIFE

Longer life and 4 year guarantee



### 4 year OSRAM guarantee

For a worry-free driving pleasure. Refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) for precise conditions



### Extra lifetime

Up to four times longer lifetime compared to standard halogen lamps



### More durability

For longer replacement cycles and additional reliability and comfort



### The durable light with up to four times longer lifetime

OSRAM ULTRA LIFE automotive lamps are a favorite when it comes to durability. They have an impressive lifespan up to four times longer compared to standard halogen lamps and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). OSRAM provides a 4 year guarantee for the reliable ULTRA LIFE headlight lamps ([www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)). In addition to this, ULTRA LIFE headlight lamps have a modern design with silver cap (H4/H7/H11). They are therefore ideal for frequent drivers or people who use daytime running lights, and can also be used in clear-glass headlights.

# Product family datasheet

## Technical data

Product description	Electrical Data				Photometric Data
	Power input	Nominal voltage	Nominal wattage	Test voltage	Nominal luminous flux
ULTRA LIFE H1	68 W <sup>1)</sup>	12 V	55 W	13.2 V	1550 lm
ULTRA LIFE H4	75 / 68 W <sup>1)</sup>	12 V	60/55 W	13.2 V	1650/1000 lm
ULTRA LIFE H7	58 W <sup>1)</sup>	12 V	55 W	13.2 V	1500 lm
ULTRA LIFE H11	62 W <sup>1)</sup>	12 V	55 W	13.2 V	1350 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions	Lifetime Data		Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Diameter	Lifespan B3	Lifespan Tc	ECE category	Primary article identifier
ULTRA LIFE H1	±15 %	8.5 mm	1200 hr	2000 hr	H1	4008321416100   4062172257008   4008321416209   4052899412170   4008321416162   4062172388122   4052899987043   4052899412156
ULTRA LIFE H4	±15 / ±15 %	17.0 mm	300 / 2000 hr <sup>2)</sup>	700 / 3000 hr <sup>2)</sup>	H4	4008321416186   4008321416230   4062172395748   4062172387491   4008321421272   4052899031562   4062172250238   4008321416124
ULTRA LIFE H7	±10 %	12.0 mm	700 hr	1100 hr	H7	4052899436237   4052899436534   4052899436213   4052899436299   4052899436572   4062172250207   4052899436152   4062172395205   4050300879284   4062172387613   4008321416261   4052899476004   4052899131453   4052899436558

## Product family datasheet

Product description	Luminous flux tolerance	Physical Attributes & Dimensions	Lifetime Data		Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Diameter	Lifespan B3	Lifespan Tc	ECE category	Primary article identifier
ULTRA LIFE H11	±10 %	12.0 mm	1000 hr	2000 hr	H11	4052899431164   4052899436138   4052899436114   4052899436510   4062172387736   4050300602387   4052899436176   4052899436275   4052899436473   4062172394635









Product description	Candidate list substance 1	Declaration no. in SCIP database
ULTRA LIFE H1	No declarable substances contained	No declarable substances contained
ULTRA LIFE H4	No declarable substances contained	No declarable substances contained
ULTRA LIFE H7	No declarable substances contained	No declarable substances contained
ULTRA LIFE H11	No declarable substances contained	No declarable substances contained

1) Maximum

2) Filament 1

## Product family datasheet

### Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates HAL
	Brochures ULTRA LIFE Leaflet EN
	Product movie ULTRA LIFE Trailer EN
	ref_pim_amsproduct360degreeimages ULTRA LIFE H1 64150ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE H4 64193ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE H7 64210ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE H11 64211ULT

### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

