

## ALLSEASON SUPER / ALLSEASON

Extra visibility under all weather conditions



### Extra visibility

Due to yellow coating



### Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



### Better sight

Under all weather conditions



### Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

# Product family datasheet

## Technical data

Product description	Electrical Data				Photometric Data
	Power input	Nominal voltage	Nominal wattage	Test voltage	Nominal luminous flux
ALLSEASON SUPER / ALLSEASON H1	68 W <sup>1)</sup>	12 V	55 W	13.2 V	1550 lm
ALLSEASON SUPER / ALLSEASON H4	75 / 68 W <sup>1)</sup>	12 V	60/55 W	13.2 V	1650/1000 lm
ALLSEASON SUPER / ALLSEASON H7	58 W <sup>1)</sup>	12 V	55 W	13.2 V	1500 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions	Lifetime Data		Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Diameter	Lifespan B3	Lifespan Tc	ECE category	Primary article identifier
ALLSEASON SUPER / ALLSEASON H1	±15 %	8.5 mm	150 hr	350 hr	H1	4050300504544   4008321168733
ALLSEASON SUPER / ALLSEASON H4	±15 / ±15 %	17.0 mm	150 / 150 hr <sup>2)</sup>	350 / 350 hr <sup>2)</sup>	H4	4050300435978   4052899503311   4008321168559
ALLSEASON SUPER / ALLSEASON H7	±10 %	12.0 mm	330 hr	550 hr	H7	4052899487239   4050300483153   4052899503335   4008321168757



Product description	Candidate list substance 1	Declaration no. in SCIP database
ALLSEASON SUPER / ALLSEASON H1	No declarable substances contained	No declarable substances contained
ALLSEASON SUPER / ALLSEASON H4	No declarable substances contained	No declarable substances contained
ALLSEASON SUPER / ALLSEASON H7	No declarable substances contained	No declarable substances contained

<sup>1)</sup> Maximum

<sup>2)</sup> Filament 1

# Product family datasheet

## Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Certificate overview OSRAM Argentina

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

