

# ORIGINAL LINE H2

Original spare part



## The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

|                                             |                        |
|---------------------------------------------|------------------------|
| Order reference                             | 64173                  |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data

|                 |                    |
|-----------------|--------------------|
| Power input     | 68 W <sup>1)</sup> |
| Nominal voltage | 12.0 V             |
| Nominal wattage | 55.00 W            |
| Test voltage    | 13.2 V             |

<sup>1)</sup> Maximum

Photometrical data

|                         |         |
|-------------------------|---------|
| Luminous flux           | 1800 lm |
| Luminous flux tolerance | ±15 %   |
| Color temperature       | 3200 K  |

Dimensions & weight

|                |         |
|----------------|---------|
| Diameter       | 9 mm    |
| Product weight | 2.33 g  |
| Length         | 31.0 mm |

Lifespan

|             |       |
|-------------|-------|
| Lifespan B3 | 90 h  |
| Lifespan Tc | 250 h |

Additional product data

|                             |      |
|-----------------------------|------|
| Base (standard designation) | X511 |
|-----------------------------|------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

|              |    |
|--------------|----|
| ECE category | H2 |
|--------------|----|

Country specific categorizations

|                 |       |
|-----------------|-------|
| Order reference | 64173 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh) |                                    |
|----------------------------------------------------------------------|------------------------------------|
| Date of Declaration                                                  | 05-03-2024                         |
| Primary Article Identifier                                           | 4050300016559                      |
| Candidate List Substance 1                                           | No declarable substances contained |
| Declaration No. in SCIP database                                     | No declarable substances contained |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300016559 | OSRA64173  | -       | -          | -      |
| 4050300213583 | OSRA64173  | -       | -          | -      |
| 4050300016559 | OSRA64173  | -       | -          | -      |

Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|---------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4050300016559 | ORIGINAL LINE H2    | Folding carton box<br>1         | 25 mm x 23 mm x<br>70 mm                | 0.04 dm <sup>3</sup> | 4.00 g       |
| 4050300213583 | ORIGINAL LINE H2    | Bundle<br>10                    | 113 mm x 50 mm x<br>70 mm               | 0.40 dm <sup>3</sup> | 44.00 g      |
| 4050300213590 | ORIGINAL LINE H2    | Shipping carton box<br>100      | 122 mm x 109 mm x<br>361 mm             | 4.80 dm <sup>3</sup> | 538.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File                                                                              |                                       |
|-----------------------------------------------------------------------------------|---------------------------------------|
|  | 360 Degree Image<br>ORIGINAL H2 64173 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

