

Lamps with metal bases -

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

Order reference	7240
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	25 / 6 W
Nominal voltage	120 V
Nominal wattage	21/5 W
Test voltage	13.5 V
Power input tolerance	±6 / ±10 %

Photometrical data

Luminous flux	440/35 lm
Luminous flux tolerance	±15 / ±20 %

Dimensions & weight



Diameter	2500 mm
Product weight	930 g
Length	525 mm

Lifespan

Lifespan B3	180 / 1250 h
Lifespan Tc	290 / 4000 h

Additional product data

Base (standard designation)	BA15d
-----------------------------	-------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
Approval marks – approval	-

Country specific categorizations

Order reference	7240
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300838007 4062172401043
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300838007	OSRA7240	-	-	-
4050300623078	OSRA7240	-	-	-
4050300838007	OSRA7240	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838007	ORIGINAL - METAL BASE 7240	Unpacked 1	25 mm x 25 mm x 53 mm	0.03 dm ³	9.00 g
4050300623078	ORIGINAL - METAL BASE 7240	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	115.00 g
4008321091116	ORIGINAL - METAL BASE 7240	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	625.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM