OSRAM

SUPER RALLYE



Up to +50% more light for better visibility

Compare with standard lamps



Up to 50% more light than standard lamps. OSRAM offers a bright and clear visual effect for drivers, make them fell more reliable.

Product family datasheet

Technical data

	Product information		General Product Information	Electrical Data		
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference	Power input	Nominal voltage	
SUPER RALLYE ≜ H1	Halogen headlight lamp	Off-road ≙ H1	62241	100 W ¹⁾	24 V	

			Photometric Data		Physical Attributes & Dimensions
Product description	Nominal wattage	Test voltage	Nominal luminous flux	Luminous flux tolerance	Lamp base
SUPER RALLYE ≙ H1	100 W	28.0 V	2600 lm	±15 %	P14.5s

				Lifetime Data		
Product description	Length	Diameter	Diameter	Lifespan B3	Lifespan Tc	
SUPER RALLYE ≙ H1	62.5 mm	8.5 mm	8.5 mm	50 hr	200 hr	

	Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Product description	Technology	ECE category	Primary article identifier	Declaration no. in SCIP database
SUPER RALLYE ≜ H1	HAL		4062172130875 4052899523906 4008321675552	In work

¹⁾ Maximum

Product family datasheet

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















