

Product family datasheet

## SUPER RALLYE



**Up to +50% more light for better visibility**  
Compare with standard lamps



Up to 50% more light than standard lamps. OSRAM offers a bright and clear visual effect for drivers, make them feel more reliable.

## Product family datasheet

### Technical data

Product description	Electrical Data				Photometric Data
	Power input	Nominal voltage	Nominal wattage	Test voltage	Nominal luminous flux
SUPER RALLYE $\cong$ H1	100 W <sup>1)</sup>	24 V	100 W	28.0 V	2600 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions			Lifetime Data
		Lamp base	Length	Diameter	Lifespan B3
SUPER RALLYE $\cong$ H1	$\pm 15$ %	P14.5s	62.5 mm	8.5 mm	50 hr

Product description	Lifespan Tc	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		ECE category	Primary article identifier	Declaration no. in SCIP database
SUPER RALLYE $\cong$ H1	200 hr		4062172130875   4052899523906   4008321675552	In work

<sup>1)</sup> Maximum

# Product family datasheet

## Download Data

File	
	User instruction GPRS_Safety symbols instructions

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

