ORIGINAL MINIWATT -

OSRAM

Original spare part





The cost-effective original spare parts

ORIGINAL MINIWATT signal lamps for cars are original spare parts with reliable OEM quality from OSRAM. The products impress with their hard-glass technology, a high and constant luminous flux as well as a high color temperature .

Technical data

Product information

| Order reference | 64115 |
|---|----------------|
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

| Power input | 22.5 W |
|-----------------------|--------|
| Nominal voltage | 120 V |
| Nominal wattage | 2000 W |
| Power input tolerance | ±7.5 % |
| Test voltage | 13.5 V |

Photometrical data

| Luminous flux | 450 lm |
|-------------------------|--------|
| Luminous flux tolerance | ±15 % |

Dimensions & weight



| Length | 330 mm |
|----------------|--------|
| Diameter | 900 mm |
| Product weight | 233 g |

Lifespan

| Lifespan B3 | 150 h |
|-------------|-------|
| Lifespan Tc | 500 h |

Additional product data

| Base (standard designation) | BA9s |
|-----------------------------|------|

Capabilities

| Technology | AUX | | |
|----------------------------------|-------|--|--|
| Certificates & standards | | | |
| ECE category | - | | |
| Country specific categorizations | | | |
| Order reference | 64115 | | |

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

| Date of Declaration 05-03-2024 | | |
|----------------------------------|------------------------------------|--|
| Primary Article Identifier | 4050300883120 4008321095077 | |
| Candidate List Substance 1 | No declarable substances contained | |
| Declaration No. in SCIP database | In work | |

Country specific information

| Product code | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321095077 | OSRA64115 | - | 4739542 | - |
| 4008321095084 | OSRA64115 | - | 4739542 | - |
| 4008321095077 | OSRA64115 | - | 4739542 | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|----------------------------|---------------------------------|---|----------------------|--------------|
| 4008321095077 | ORIGINAL MINIWATT 64115 | Unpacked 1 | 9 mm x 9 mm x 33 mm | 0.00 dm ³ | 2.00 g |
| 4008321095084 | ORIGINAL MINIWATT 64115 | Folding carton box 10 | 54 mm x 40 mm x 138 mm | 0.30 dm ³ | 36.00 g |
| 4008321095091 | ORIGINAL MINIWATT 64115 | Shipping carton box 50 | 205 mm x 144 mm x 64 mm | 1.89 dm³ | 232.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.









