

Product datasheet

P RF CLAS A 650 W/840 E27

PARATHOM Retrofit CLASSIC A | LED lamps, classic bulb shape



Technical data

Electrical data

| | |
|--|------------|
| Operating frequency | 50...60 Hz |
| Nominal current | 38 mA |
| Claimed equiv. conventional lamp power | 60 W |


Photometrical data

| | |
|---------------------------|------------|
| Light color (designation) | Cool White |
| Luminous flux | 806 lm |

Light technical data

| | |
|------------|-------|
| Beam angle | 300 ° |
|------------|-------|

Dimensions & weight



| | |
|----------------|-----------|
| Overall length | 105.00 mm |
| Product weight | 31.00 g |

Temperatures & operating conditions

| | |
|---------------------------|--------------|
| Ambient temperature range | -20...+40 °C |
|---------------------------|--------------|

Lifespan

| | |
|--|-----|
| Lumen maintenance at end of service life | 0.7 |
|--|-----|

Additional product data

| | |
|-----------------------------------|---------|
| Mercury content | 0.0 mg |
| Mercury-free | Yes |
| Design / version | Frosted |
| Appropriate disposal acc. to WEEE | Yes |

Product datasheet

| | |
|----------------|---|
| Product remark | All technical parameters apply to the entire lamp Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value |
|----------------|---|

Certificates & standards

| | |
|-------------------------|----------------|
| Energy efficiency class | E |
| Energy consumption | 7.00 kWh/1000h |

Environmental information

| | |
|---|-------------------------------|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
| Date of Declaration | 18-04-2022 |
| Primary Article Identifier | 4058075808416 4058075591912 |
| Declaration No. in SCIP database | In work |

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|------------------------------|--|---|----------|--------------|
| 4058075591912 | P RF CLAS A 650 W/840 E27 | Shipping carton box 10 Pieces Folding carton box | 315 mm x 131 mm x 126 mm | 5.20 dm³ | 544.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany