

ULTRA-VITALUX UV-A



Product features and benefits

- UV lamp for technical applications
- Direct operation without control gear





ULTRA VITALUX

Product family datasheet

Technical data

| | General Product Information | Electrical Data | | Photometric Data |
|-------------------------------|-------------------------------|-----------------|-----------------|-----------------------------------|
| Product description | Global order reference | Nominal wattage | Nominal voltage | Radiated power 280...315 nm (UVB) |
| ULTRA VITALUX 300 W 230 V E27 | ULTRA VITALUX 300 W 230 V E27 | 300 W | 230 V | 3.0 W |

| | | Physical Attributes & Dimensions | Operating Conditions | Lifetime Data |
|-------------------------------|-----------------------------------|----------------------------------|----------------------|------------------|
| Product description | Radiated power 315...400 nm (UVA) | Lamp base | Burning position | Nominal lifetime |
| ULTRA VITALUX 300 W 230 V E27 | 13.6 W | E27 | Any | 1000 hr |

| | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | |
|-------------------------------|---|--------------------------------------|----------------------------|------------------------|
| Product description | Primary article identifier | Declaration no. in SCIP database | Candidate list substance 1 | CAS No. of substance 1 |
| ULTRA VITALUX 300 W 230 V E27 | 4008321543929 | bc3094dc-cc43-4d18-80c6-c26db04e81b7 | Lead | 7439-92-1 |

| Product description | Safe use instruction |
|-------------------------------|--|
| ULTRA VITALUX 300 W 230 V E27 | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

Product family datasheet

Safety advice

Due to their intense heat generation, the lamps may only be operated in suitable luminaires. The lamps must also be protected against moisture and splashing water. In case of improper use, UV radiation may lead to sunburn and conjunctivitis. Not approved for use on persons according to the new edition of EN 60335-2-27.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.