# **OSRAM**

# **COOL BLUE BOOST -**

Hyper white light for LED look for off-road use\*



Hyper white light for stylish LED look

For fatigue-free and comfortable driving

Up to 5,500 K1)

High contrast and most stylish look

**Enhanced brightness** 

More light allows to see farther and therefore react sooner



#### Hyper white light with up to 5,500 K for off-road use\*

COOL BLUE BOOST features hyper white halogen light for LED look and high color temperatures of up to 5,500 K. The lamps generate enhanced brightness. These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.1) Measured in headlamps.

# Product datasheet

#### Technical data

## **Product information**

Order reference	62210CBB	
<b>Product type (off-road vs. on-road)</b> Off-road ≜ H7		
Application (Category and Product specific)	Halogen headlight lamp	

## **Electrical data**


Power input	73 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	80.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

## Photometrical data

Luminous flux	1000 lm
Luminous flux tolerance	±15 %
Color temperature	5500 K

## **Dimensions & weight**



Diameter	10.7 mm
Product weight	12.50 g
Length	59.0 mm

## Lifespan

Lifespan B3	200 h
Lifespan Tc	400 h

## Additional product data

## Product datasheet

Base (standard designation)	PX26d
-----------------------------	-------

## **Capabilities**

Technology	HAL 1)

<sup>1)</sup> Halogen lamp

#### Certificates & standards

ECE category	ECE category	-
--------------	--------------	---

## **Country specific categorizations**

Order reference	62210CBB

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	03-05-2024	
Primary Article Identifier	4052899437692   4052899437371   4062172388221   4052899439801   4052899437333   4052899439047	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899439801	COOL BLUE BOOST	Hard Cover Box 2	114 mm x 49 mm x 106 mm	0.59 dm³	117.00 g
4062172059336	COOL BLUE BOOST	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	670.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

	File
<b>7</b>	Brochures Flyer Cool Blue Boost (EN)
<b>大</b>	Brochures Flyer Cool Blue Boost Jeep Version (EN)

#### Product datasheet



360 Degree Image COOL BLUE BOOST H7 62210CBB

#### Legal advice

\*These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















