

## NIGHT BREAKER LASER HB3

Halogen light with excellent brightness



### Up to 150% more brightness

More light allows to see farther and therefore react sooner compared to the minimum legal standard




### Up to 150m long beam

For better visibility



### Up to 20% whiter light

More modern look compared to the minimum legal standard



### Strong halogen light for high demands

Thanks to innovative laser ablation technology, NIGHT BREAKER LASER halogen headlight lamps shine up to 150% brighter compared to the minimum legal standard. The highly engineered filament ensures an extra light boost. Consequently, the lamps provide an up to 150m long beam and up to 20% whiter light compared to the minimum legal standard. More light and improved visibility can help drivers identify and react to traffic hazards more quickly. Last but not least: OSRAM NIGHT BREAKER LASER impresses with its unique design (laser-engraved product name) and complete portfolio (H1, H3, H4, H7, H8, H11, HB3, HB4).

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	9005NL
------------------------	--------

### Electrical Data


Power input	73 W <sup>1)</sup>
Nominal voltage	12 V
Nominal wattage	60 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	1700 lm
Luminous flux tolerance	±12 %
Color temperature	3200 K

## Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	21.00 g
Length	80.3 mm
Lamp base	P20d

### Lifetime Data

Lifespan B3	110 hr
Lifespan Tc	210 hr

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	HB3
--------------	-----

### Environmental & Regulatory Information




Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899992078   4062172388283   4062172114394   4052899992115   4052899999022   4052899577978   4052899998858
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172388283	NIGHT BREAKER LASER HB3	HFB ECO 2	100 mm x 51 mm x 120 mm	0.01 dm <sup>3</sup>	72.00 g
4062172388290	NIGHT BREAKER LASER HB3	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm <sup>3</sup>	439.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions
 Addon Technical Information Product Certificates HAL
 ref_pim_amsproduct360degreeimages NIGHT BREAKER LASER HB3

#### Legal advice

Light output compared to the minimum ECE R112/R37 requirementsH4/H7/H8/H11/HB3/HB4

#### Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

**Disclaimer**  
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

