OSRAM

ONYX COPILOT USB

Flexible LED reading light



20 lm Pleasantly warm and glare-free light

370 mm neck length powered via USB

Multifunctional use This stylish reading light is suitable for all vehicles with USB connection



Precisely illuminating vehicle interiors

With its elegant and dynamic design, the ONYX COPILOT LED reading light achieves seamless integration into vehicle interiors. With its high flexibility, the reading light has a wide range of options for illuminating specific areas of the vehicle interior. The neck of the light is made of matt black silicon rubber and can be individually adjusted. The LED lifetime of ONYX COPILOT is extremely long: up to 20,000 hours! The Luminaire can be switched on/off and remain connected permanently. OSRAM provides a 2 year guarantee for this stylish light.

Product family datasheet

Technical data

	Product info	rmation	Electrica data	Photomet rical data	Dimensions & weight	Colors & materials
Product description	Order reference	Application (Cated and Product speci-		Luminous flux	Length	Base color
ONYX COPILOT	ONYX COPILOT USB	Flexible LED read light	ng 050 W	18 lm	3940 mm	Black
	Lifespan	Addition data	nal product	Capabilities	Certificates & standards	
Product description	Guarantee	Connect	or to lamp	Technology	Type of protection	
ONYX COPILOT	2 years	USB		LED ¹⁾	IP20	
		Info	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Standards	Dat	e of Declaration	n Primary A Identifier	rticle	Candidate List Substance 1
ONYX COPILOT	CE	06-	03-2024	40528996	01000	Lead

Product description	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
ONYX COPILOT	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	cfe381e9-de61-47be- 8ff4-79f99a462d05

¹⁾ Light-emitting diode application

Product family datasheet

Download Data

File



User instruction LED ONYX COPILOT USB



360 Degree Image ONYX Copilot USB

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.