

LEDriving SL C5W 6438 WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



Replaces conventional C5W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for C5W

LEDriving SL C5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional C5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

Product description

	Product information		Genera Informa	l Product ation	Electrical [Data
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global referen		Power input	Nominal voltage
LEDriving SL ≜ C5W	Mainly used for number plate/ interior applications	Off-road ≙ C5W	6438D\	WP	1.2 W	12 V
			Photometric Data			Physical Attributes & Dimensions
Product description	Nominal wattage	Test voltage	Nominal flux	luminous	Luminous flux tolerance	Diameter
LEDriving SL	1 W	13.5 V	45 lm		±30 %	11.0 mm
		Lifetime Data		Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC)	

Lifespan

2500 hr

Lifespan

5000 hr

Tc

Technology

LED 1)

Diameter

11.0 mm

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SL	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	4b43d1a0-41e5- 49a8-b038- 95b9cc5bb50c a14494ba-4175- 4df1-b1fa- 3f0a27774037 9ddf0b2d-007f-4334- a770-e1139745e9b7 7cd36b52-8613- 4f3d-b8bb-
				13d523df7cad af0c8a57-0ad5-4d83- a001-3b9565b947c6 5dbadd0f-f4a4- 43b0-958e- 9dcdea08ef9f 57f5e426-c401- 4083-ba23- b642fa3bb8d1

1907/2006 (REACh)

Primary article identifier

4062172150637 | 4062172054089 | 4062172401135

Product family datasheet

1) Light-emitting diode lamp

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.