Product family datasheet

LEDriving SL PS19W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



Replaces conventional PS19W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for PS19W

LEDriving SL PS19W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional PS19W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product infor	Product information		General Product Information		Electrical Data		
Product description	Product type (off- road vs. on-road)	Application (Catego and Product specifi	-	Global order reference		Nominal voltage		
LEDriving SL \triangleq PS19W	Off-road ≙ PS19W	Mainly used for daytime running lig applications	5201DV Jht	VΡ	1.8 W	12 V		
				Photometric	Data	Physical A Dimensior	ttributes & ns	
Product description	Nominal watt	age Power input toleranc e	Test voltage	Nominal luminous flux		Lamp base	e	
LEDriving SL \triangleq PS19W	1 W	±10 %	13.5 V	140 lm		PG20-1		
						Lifetime D	Jata	
Product description	Length	Diameter		Diameter		Lifespan B3	Lifespan Tc	
LEDriving SL \triangleq PS19W	42.5 mm	15.5 mm		15.5 mm		1500 hr	4000 hr	
	Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Technology	Primary article identifier		Candidate list substance 1		AS No. of substance		
LEDriving SL \triangleq PS19W	LED ¹⁾	4062172150293 4062172401456	Lead	Lead 7439-9		92-1		

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL \doteq PS19W	The identification of	6868705b-a925-
	the Candidate List	4a87-a27f-
	substance is	369be63e9f5a
	sufficient to allow	11589200-5e74-
	safe use of the	464c-a970-
	article.	2b1ae6f9e2dc

 $^{1)}$ Light-emitting diode lamp

Product family datasheet

Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.