## Product family datasheet

## LEDriving SL PY21W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Amber



Easy upgrade to LED technology with plug & play solutions

**Replaces conventional PY21W lamps** 



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



### Suitable LED replacement for PY21W

LEDriving SL PY21W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional PY21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# **OSRAM**

## Product family datasheet

## Technical data

	Product infor	Product information		General Product Information		Electrical Data		
Product description	Product type (off- road vs. on-road)	Application (Categ and Product speci		Global order reference		Nominal voltage		
LEDriving SL ≙ PY21W	Off-road ≙ PY21W	Mainly used for signal/ indicator applications	7507	DYP	1.5 W	12 V		
				Photometrie	c Data	Physical A Dimensior	ttributes & 1s	
Product description	Nominal watt	age Power input tolerand e	Test voltage	Nominal lur flux	Nominal luminous flux		Lamp base	
LEDriving SL $\doteq$ PY21W	1 W	±10 %	13.5 V	50 lm		BAU15s		
						Lifetime D	ata	
Product description	Length	Diamete	er	Diameter		Lifespan B3	Lifespan Tc	
LEDriving SL $\doteq$ PY21W	52.5 mm	25.0 mr	n	25.0 mm		1500 hr	4000 hr	
	Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Technology	Primary article identifier		Candidate list CAS substance 1 1		lo. of substance		
LEDriving SL $\triangleq$ PY21W	LED <sup>1)</sup>	4062172401517 4062172152242		Lead 7439-92-1				

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≙ PY21W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	bcf00c1f-4751-4bd7- 8ce1-efa17d78d8a9

 $^{1)}$  Light-emitting diode lamp

## Product family datasheet

## Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.