# **OSRAM**

# LEDriving SL T4W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



**Replaces conventional T4W lamps** 

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



# Suitable LED replacement for T4W

LEDriving SL T4W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional T4W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

# Technical data

	Product information		Genera Informa	l Product ation	Electrical D	ata
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global referen		Power input	Nominal voltage
LEDriving SL ≜ T4W	Mainly used for signal/ indicator/ interior applications	Off-road ≙ T4W	3893D\	WΡ	1 W	12 V
			Photometric Data			Physical Attributes & Dimensions
Product description	Naminal waters	Test	Nominal	luminaua	Luminous	Diameter
rioduct description	Nominal wattage	voltage	flux	tummous	flux tolerance	Diameter
LEDriving SL ≜ T4W	1 W			tummous	flux	9 mm

Product description	Candidate list substance 1	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ T4W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	dd4362ec-e8fe-4d74- a254-b9aa4f0d5cb9   0c3a666d-6f4f-44ca- ab01-6f003518169b

Lifespan

1500 hr

Lifespan

4000 hr

Tc

Technology

LED 1)

Diameter

9 mm

**Product description** 

LEDriving SL ≙ T4W

Primary article

4062172150354 | 4062172401234

identifier

 $<sup>^{1)}</sup>$  Light-emitting diode lamp

# Product family datasheet

#### Download Data

#### File



User instruction

GPRS\_Safety symbols instructions



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

# Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

# Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# **Application advice**

For more detailed application information and graphics please see product datasheet.

# **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.