Product datasheet

OSRAM

ORIGINAL - PSX P13W

OSRAM spare parts



OSRAM spare parts

Discover our ORIGINAL PSX lamps. The spare parts are signal lamp types for different applications. They provide a high and constant luminous flux.

Product datasheet

Technical data

Product information

Order reference	828


Electrical data

Power input	13 W
Nominal voltage	12.0 V
Nominal wattage	13.00 W
Test voltage	13.5 V

Photometrical data

Luminous flux	250 lm	
Luminous flux tolerance	+15% / -20 %	

Dimensions & weight



Diameter	18.5 mm
Product weight	9.60 g
Length	46.7 mm

Lifespan

Lifespan Tc	1500 h average
-------------	----------------

Additional product data

Base (standard designation)	PG18.5d-1
,	

Capabilities

Technology	AUX 1)

¹⁾ Auxiliary signal lamp

Product datasheet

Certificates & standards

ECE category	P13W

Country specific categorizations

Order reference	828
-----------------	-----

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 07-03-2024				
Primary Article Identifier	4062172094283			
Candidate List Substance 1	No declarable substances contained			
Declaration No. in SCIP database No declarable substances contained				

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172094283	ORIGINAL - PSX P13W	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm³	13.00 g
4062172094290	ORIGINAL - PSX P13W	Bundle 10	- x - x -		
4062172094306	ORIGINAL - PSX P13W	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm ³	1472.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

