
## **OSRAM**

# LEDinspect FAST CHARGE PRO500

## Inspectionlights





## Fast charge technology

Ca. 1h charging time from 0% to 100% battery capacity



### 500 Lumen

Two light functions - main light with up to 500 lm and torchlight function with up to 100 lm



### **Multi-Angle Light Output**

Allows different directions of the light beam



## 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



## Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use. With two light functions - main light with up to 500lm and torchlight function with up to 100lm, the appropriate light output can be retrieved depending on the task. While some inspection lights take up to three hours to charge, the FAST CHARGE PRO 500's fast charge function takes the lamp from 0% to 100% battery charge in just about 1 hour while still offering a long service life. The inspection light is rechargeable, and the integrated charge level indicator shows the current state of the battery. A USB Type-C charging cable and the corresponding power adapter are included in the scope of

## Product family datasheet

supply. In accordance with IP65 protection rating, this inspection light has protection against dust and water ingress and is tested for impact resistance in accordance with IK08. This LED light is easy to carry, has a non-slip and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and in everyday life. In addition, OSRAM provides a 2-year guarantee on this product\*

## Product family datasheet

## Technical data

|                     | Product information  | General Produ          | uct      | Electrical Dat  |                  |  |  |
|---------------------|--|------------------------|----------|---|------------------|--|--|
| Product description | Application (Category and Product specific)  | Global order reference |          | Nominal voltage   |                  | Nominal wattage                              |  |
| INSPECTION LAMP     | LED inspection lights  | LEDIL405               |          | 3.7 V   |                  | 9 W  |  |
|                     | Photometric Data   |                        |          |   | Physica<br>Dimen | al Attributes & sions                        |  |
| Product description | Light color Nomi<br>LED flux   | nal luminous           | Color t  | emperature  | Height           | :  |  |
| INSPECTION LAMP     | White 500 li   | m                      | 5700 K   |   | 45.0 m           | nm   |  |
|                     |  |                        |          |   |                  | LED module information                       |  |
| Product description | Width  | Length                 |          | Product weigl   | ht               | Number of<br>LEDs per<br>module              |  |
| INSPECTION LAMP     | 55.0 mm  | 204.0 mm               |          | 380.00 g  |                  | 2  |  |
|                     | Colors & materials Lifetime Additional property Data   |                        |          | al product data   |                  |  |  |
| Product description | Base color   | Guarantee              | Scope of | battery   | Number           | of included<br>s                             |  |
| INSPECTION LAMP     | Black / Orange   | 2 years                | Yes      |   | 1                |  |  |
|                     |  | Capabilities           |          | ertificates & Logist  |                  | ical data                                    |  |
| Product description | Type of Battery  | Technology             | IK Clas  | IK Class Watt   |                  | our per battery                              |  |
| INSPECTION LAMP     | Rechargeable   | LED                    | IK08     |   | 10.00            |  |  |
|                     | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) |                        |          |   |                  |  |  |
| Product description | Candidate list substance 1   | CAS No. of su<br>1     | bstance  | Safe use instr  | uction           | Declaration no. in SCIP database             |  |
| INSPECTION LAMP     | Lead   | 7439-92-1              |          | The identificathe Candidate substance is sufficient to a safe use of tharticle. | e List<br>Illow  | 2ab9868b-8a12-<br>4d7c-8ebe-<br>1226ecef8902 |  |

## Product family datasheet

## Download Data

|   | File  |
|---|---|
| 乙 | User instruction LEDinspect FAST CHARGE PRO 500           |
| 太 | User instruction GPRS_Safety symbols instructions         |
| D | Movie application<br>LEDinspect Inspection Lights Trailer |

## Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

## **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.