OSRAM

LEDinspect TWIST250

Inspectionlights





Multi-Angle Flex & Twist High flexibility and diverse adjustment possibilities thanks to multi angle

positioning



2 light functions:Up to 250lm -highUp to 125lm -low



2in1Inspectionlight & Torchlight function



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and

excellent quality really pay dividends for our customers.



Light is versatile

With the TWIST 250 you have the possibility to easily control the direction of the light beam. A light output of up to 250 lumens and a colour temperature of up to 6000K, make the TWIST 250 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

	Product information	General Prod Information	uct	Electrical Dat	a		
Product description	Application (Catego and Product specific	-			ige	Nominal wattage	
INSPECTION LAMP	LED inspection light	ts LEDIL412		3.7 V		8 W	
	Photometric Data				Physic Dimen	al Attributes &	
Product description	Light color Non LED flux	ninal luminous	Color t	emperature	Height	t	
INSPECTION LAMP	White 250	lm	6000 K	ζ	44.0 m	nm	
Product description	Width	Length		Product weigl	nt	LED module information	
roduct description						LEDs per module	
INSPECTION LAMP	50.0 mm	243.0 mm		488.00 g		2	
	Colors & materials Lifetime Data		Additional product data				
Product description	Base color	Guarantee				lumber of included atteries	
INSPECTION LAMP	Black / Orange	2 years	Yes		1		
		Capabilities	Certificates & standards		Logistical data		
Product description	Type of Battery Technology II		IK Clas	IK Class Watt h		nour per battery	
INSPECTION LAMP	Rechargeable	LED	IK09		8.14		
	Environmental & Re Information accordi			(EC) 1907/2006	(REACh))	
Product description	Candidate list substance 1	CAS No. of su 1	ıbstance	Safe use instr	uction	Declaration no. in SCIP database	
INSPECTION LAMP	Lead	7439-92-1		The identificathe Candidate substance is sufficient to a safe use of th article.	List llow	c20eb463-09bd- 4c1e-8bd5- 69238c3db62e	

Product family datasheet

Download Data

	File
乙	User instruction LEDinspect TWIST 250
太	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.