# **OSRAM**

# LEDinspect SLIM MAX1000

## Inspectionlights





Dimmer Switch Individually adjustable brightness levels with up to 1000 lm



**1000 Lumen** Bright, white LED light and uniform light distribution



Multi-Angle Light Output High flexibility due to individual adjustment of the light beam



## 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



## Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. Charging cable and mains adaptor are included in the scope of supply. In accordance with the IP protection class IP65, this inspection light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year guarantee on this product\*

## Technical data

\_\_\_

	Product information				Electrical data		Photor	Photometrical data	
Product description	Order reference	Application (Category and Product specific)			Nominal Nominal voltage wattage		Light c LED	olor Color temper- ature	
INSPECTION LAMP	LEDIL410	LED insp	ection l	ights	3.7 V	10.00 W	White	6000 K	
		LED modu informatio		Dimensi	ions & weigh	t			
Product description	Luminous flux	Number of LEDs per module	fl	Height	Width	Leng	th	Product weight	
INSPECTION LAMP	1000 lm	2		50.0 mn	n 65.0 m	ım 365.	0 mm	340.00 g	
	Colors & materials		Lifesp	span Additional product data					
Product description	Base color	Base color		uarantee Scope		Scope of battery Number of included batteries			
INSPECTION LAMP	Black / Orai	Black / Orange		S	Yes		1		
			Capab	ilities	Certificate: standards	s &	EU Regu	tion	
Product description	Type of Bat	Type of Battery		ology	IK Class D		Date of	Declaration	
INSPECTION LAMP	Rechargeab	Rechargeable		IK06		08-03-2024			
Product description	Primary Art	icle	Candio	date Lis	t C	AS No. of sub	stance	Safe Use Instruction	

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
INSPECTION LAMP	4062172355674	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration No. in SCIP database
INSPECTION LAMP	99d5749d-0f33-4ebf- 9ff7-b17da405d236

### **Application advice:**

For more detailed application information and graphics please see product datasheet and user instruction.

\*for precise conditions please refer to:

www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.