## **OSRAM**

# LEDinspect TELESCOPIC 270

Inspection lights



270 Lumen

Delivers up to 270 lumens of bright light for clear visibility in dark spaces



Magnet base & rotatable hook

Versatile mounting options



2 in 1 Torch function

Inspection light and Torchlight function



#### 2 Year OSRAM Guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



## Light is versatile

Stay prepared wherever you go with the OSRAM LEDinspect TELESCOPIC 270 Rechargeable Inspection Lamp & Torch, a compact yet powerful lighting tool designed for both professional and everyday use. Delivering up to 270 lumens of bright white light, it combines flexibility, portability, and hands-free operation for maximum convenience.

Whether you're working under the bonnet, camping outdoors, or tackling a DIY task, the OSRAM LEDIL419 is built to perform. The telescopic body allows you to quickly adjust the length and focus light exactly where it's needed, while the strong magnetic base keeps both hands free for the job at hand.

## Product family datasheet

## Technical data

	Product informa	Product information		General Product		Electrical Data		
Product description		Application (Category and Product specific)		Global order reference		age	Nominal voltage	
INSPECTION LAMP	LED inspection	LED inspection lights		LEDIL419			3.7 V	
	Photometric Da	Photometric Data				Physica Dimens	ıl Attributes & iions	
Product description	Color temperate	Color temperature		Nominal luminous flux		Product weight		
INSPECTION LAMP	6500 K	6500 K		270 lm Wh		202.00 g		
							LED module information	
Product description	Length	Length		Width			Number of LEDs per module	
INSPECTION LAMP	33.0 mm		43.0 mm		193.0 mm		2	
	Colors & mater	Colors & materials		Additional product data				
Product description	Base color	Base color		Type of Battery		Number of included batteries		
INSPECTION LAMP	Black / Orange	Black / Orange		Rechargeable		1		
	Capabilities	Logisti	cal data	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Product description	Technology	Watt h	our per battery	Declara SCIP da	ntion no. in ntabase			
INSPECTION LAMP	LED	6.66		In work	[			

## Product family datasheet

## Download Data

## File



User instruction

Operating instructions LEDIL419 LEDinspect TELESCOPIC 270



User instruction

GPRS\_Safety symbols instructions

## Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and the user instruction.\* for precise conditions please refer to: www.osram.com/am-guarantee

## **Application advice**

For more detailed application information and graphics please see product datasheet.

## **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.