

## COOL BLUE INTENSE HB4

Extra white light for LED look



**LED look**

Extra white light for stylish LED look



**Up to 5,000 Kelvin<sup>1), 2)</sup>**

High contrast and brilliantly white light for most stylish and modern look on the road



**Up to 100% more brightness<sup>1), 3)</sup>**

More light allows to see farther and therefore react sooner



**The extra white light with up to 5,000 K**

Discover COOL BLUE INTENSE - high-tech halogen lamps, almost in the league of LED lamps. With its powerful and bright extra white light up to 5,000 Kelvin<sup>1), 2)</sup>, whose cool beam makes it look very like a LED lamp, it gives real design fans their money's worth. The automotive lamp also provides a high-contrast light similar to daylight, which makes it easier on the eyes than the light from standard lamps. In comparison to minimum ECE requirements, the OSRAM COOL BLUE INTENSE range is up to 100% more brightness!<sup>1), 3)</sup>. The modern design with silver cap (H4/H7/H8/H11/HB4) is ideal for use in clear-glass headlights. That gives your car a stylish look.

1) H1, H4, H7, H11, HB3, HB4, HIR2.

2) Measured in headlamps.

3) Compared to minimum ECE R112 requirements.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	9006CBN
------------------------	---------

### Electrical Data

Power input	62 W <sup>1)</sup>
Nominal voltage	12 V
Nominal wattage	51 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	1095 lm
Luminous flux tolerance	±15 %
Color temperature	up to 5000 K

### Physical Attributes & Dimensions

Diameter	12.0 mm
Product weight	21.00 g
Length	80.3 mm
Lamp base	P22d

### Lifetime Data

Lifespan B3	270 hr
Lifespan Tc	500 hr

### Capabilities

Technology	Halogen lamp
------------	--------------

### Certificates & standards

ECE category	HB4
Approval marks – approval	E1 approval

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
---

## Product datasheet




<b>Primary article identifier</b>	4062172388306   4062172215046   4062172215626
<b>Candidate list substance 1</b>	No declarable substances contained
<b>Declaration no. in SCIP database</b>	No declarable substances contained

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172388306	COOL BLUE INTENSE (NEXT GEN) HB4	Hanging Folding Box 2	100 mm x 51 mm x 120 mm	0.61 dm <sup>3</sup>	72.00 g
4062172388313	COOL BLUE INTENSE (NEXT GEN) HB4	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm <sup>3</sup>	439.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions
 Addon Technical Information Certificate overview OSRAM Argentina
 ref_pim_amsproduct360degreeimages ZMP_4062590

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM