# OSRAM BATTERYcharge 7PIN | 1PHASE | 32 AMP

Charging Cable for electric and plug-in hybrid vehicles



Type 2 to Type 2 Charge at home and on the moveType 2 to Type 25PIN | **1PHASE** 



32 Ampere Connects to any charging unit or station with a 32A (1 Phase) type 2 connection



7.2 kWh Charge your 60kW battery in ca. 8 hours



5m cable length Ergonomic handles for optimal handling and a cable length of 5 meters





Discover the world of electric driving with OSRAM. Charge your fully electric or plug in hybrid type 2 vehicle from any 32A (1 phase) charging unit or station fitted with a type 2 connection point. The charging cable is equipped with ergonomic handles for optimal handling and has a cable length of 5 meters. It is suitable for use at public charging stations and at home. In addition, the charging cables are equipped with dust protection caps and tested for water resistance according to IP65 and shock resistance according to IK10. Even when connected, the electrical contact points are protected against the ingress of dust and splash water in accordance with IP65 and IK10. The scope of delivery also includes a durable, compact storage bag to neatly store the cable after charging. In addition, the product is TÜV and CE certified and comes with a 2-year guarantee\*

## Product family datasheet

BATTERY charge 7PIN | 1PHASE | 32

IK10

## Technical data

	Product information	General Product Information	Electrical Data	
Product description	Number Of Phases	Global order reference	Nominal wattage	Nominal voltage
BATTERY charge 7PIN   1PHASE   32 AMP	1	OCC23205	7200 W	240 V
	Physical Attributes & Dimensions			Lifetime Data
Product description	Length	Width	Height	Guarantee
	E000	70.0 mm	120.0 mm	2 years
BATTERY charge 7PIN   1PHASE   32 AMP	5000 mm	70.0 mm	120.0 mm	
5	Certificates & standards	Environmental & Regu		

4052899624122

No declarable

substances contained

No declarable

substances contained

AMP

## Product family datasheet

### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.