OSRAM LEDinspect FLEXIBLE HEAD TORCH





Flexible Head Band

Soft padding and additional adjustable strap for optimal wearing comfort



Up to 115 Lumen

Three light functions: Up to 115 lm (high, up to 50 lm (low) and a red flashing function at the rear



Approx. 1.5 hours charging time

With a charging time of only approx. 1.5 hours, this OSRAM lamp is quickly ready for use again



2-year OSRAM Guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality flexible head torch from OSRAM is perfect for professional and private use. With three light functions high up to 115lm, low up to 50lm and a red flashing function at the rear, this head torch offers different setting options for a variety of tasks. The illumination integrated directly into the individual adjustable headband enables a wide and even distribution of light and can provide better illumination of the working area. The rechargeable battery allows up to 4.5h of operation at high power or up to 5.5h at low power and with a charging time of only approx. 1.5 hours, this OSRAM lamp is also guickly ready for use again. An USB Micro B charging cable to recharge the lithium battery is included in the scope of supply. In accordance with IP 42 protection rating, this head torch has protection against ingress of dust particles and against splashing water. The LEDinspect Flexible Head Torch has soft pads inside and additionally an adjustable strap for optimal wearing comfort. With a weight of only 62g and the flexible, foldable design, the product is easy to store and transport, making it ideal as a light for craft work, car repairs and everyday use. OSRAM also provides a 2-year guarantee**For precise conditions please refer to: www.osram.com/am-guarantee

Technical data

	Product info	Electri data	Electrical data		Photometrical data			
Product description	Order reference	••	tion (Categor oduct specific)			Luminou: flux	s Color tempe ature	Light color r- LED
INSPECTION LAMP	LEDIL414	LED ins	pection lights	3.7 V		115 lm	6000 I	K White
	LED module information	Dime	ensions & we	ight				Colors & materials
Product description	Number of LEDs per module	Heig		duct ght	Widt	h I	Length	Base color
INSPECTION LAMP	1	25.0	mm 62.	00 g	20 m	ım 🤅	245.0 mm	Black / Orange
	Lifespan	Additio	nal product d	ata			Capabilit	ies
Product description	Guarantee	ntee Number of included Type of Battery Technology batteries						
INSPECTION LAMP	2 years	1		Recha	rgeable	2	LED	
	Environment Information a		ation Art. 33 of EU	Regulatio	n (EC) :	1907/2006	6 (REACh)	
	Date of Decla	Date of Declaration		Primary Article Identifier		Candidate List Substance 1		CAS No. of substance
Product description			lacitation					

Product description	Safe Use Instruction	Declaration No. in SCIP database
INSPECTION LAMP	The identification of	3ee5100c-84cd-
	the Candidate List	4784-ba6a-
	substance is	aabf9f12ebcb
	sufficient to allow	
	safe use of the	
	article.	

Legal advice

Application advice: For more detailed application information and graphics please see product datasheet and the user instruction.

*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.