

# TRUCKSTAR LED H7

OSRAM's first TRUCKSTAR H7 LED for 24-volt vehicles



## Street-Legal<sup>1)</sup>

The TRUCKSTAR LED - OSRAM's first street-legal<sup>1)</sup> LED retrofit lamps for 24V Vehicles.



## Up to 230% more brightness<sup>2)</sup> & 6000K

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



## Heavy Duty Application

Specially developed vibration-resistant design, engineered for the 24V and "heavy duty" range for an up to 5 times longer lifetime<sup>3)</sup>



## 4 Year OSRAM Guarantee<sup>4)</sup>

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

With the TRUCKSTAR H7 LED, OSRAM's first street-legal<sup>1)</sup> H7 LED retrofit lamp for 24V vehicles is now on the market.

For truck drivers, fleet managers and freight forwarders. For trucks, special vehicles, buses, and towing vehicles. For nearly everyone in the "heavy duty" sector and beyond. With the street-legal<sup>1)</sup> TRUCKSTAR H7-LED for 24V Vehicles you can now upgrade the function of your high- and low beam lights of your vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to



230% more brightness<sup>2)</sup>, while the glare of other road users falls below the permissible maximum values by up to 50%<sup>2)</sup>. In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 75% less energy and convince thanks to the LED technology and the especially developed and vibration-resistant design, engineered for the 24V and "heavy duty" range, with up to 5 times longer life time<sup>3)</sup>. You can now replace your vehicle lamps with OSRAM's revolutionary retrofit lamps and experience trend-setting brightness with road approval<sup>1)</sup>. Additionally, OSRAM offers a dedicated guarantee on all TRUCKSTAR LED retrofit lamps<sup>4)</sup>.

Product family datasheet

Technical data

	Product information				
Product description	Product legal advice 1	Product legal advice 2	Product legal advice 3	Application (Category and Product specific)	
TRUCKSTAR H7 LED	1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see <a href="http://www.osram.com/nb-led">www.osram.com/nb-led</a>	2) In comparison to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%	3) In comparison to traditional Halogen lamps	High and low beam	

	General Product Information		Electrical Data		
Product description	Global order reference	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage
TRUCKSTAR H7 LED	64215DWTS	24 V	16 W	±10 %	28.0 V

		Photometric Data			
Product description	Power input	Light color LED	Luminous flux tolerance	Nominal luminous flux	Color temperature
TRUCKSTAR H7 LED	16.0 W	Cool white	±10 %	1500 lm	6000 K





	Physical Attributes & Dimensions			Lifetime Data	
Product description	Lamp base	Length	Product weight	Lifespan Tc	Lifespan B3
TRUCKSTAR H7 LED	PX26d	77.9 mm	60.00 g	2500 hr	1500 hr

	Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Product description	Technology	Standards	Primary article identifier	Candidate list substance 1
TRUCKSTAR H7 LED	LED	ABG	4062172384919	Lead

Product family datasheet

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
TRUCKSTAR H7 LED	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ebf72bd2-79c3-488d-9efd-46929ca098f4

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	User instruction TRUCKSTAR LED H7 LED 24V 64215DWTS
	Brochures LEDriving Retrofits - Exchange overview (EN)
	Brochures TRUCKSTAR LED Compatibility List Trucks (EN)

Safety advice

Application advice:For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

- 1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see [www.osram.com/nb-led](http://www.osram.com/nb-led)
- 2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%
- 3) In comparison to traditional Halogen lamps
- 4) For precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

